

KeyNet CoStar

Installation Documentation

Apr 5, 2011



acuityware

WORLDWIDE COMPUTER SOLUTIONS

Copyright © 2011, ACUITYWARE, LLC. All rights reserved. No part of this documentation may be reproduced in any form or by any means or used to make any derivative work (such as translation, transformation, or adaptation) without written permission from ACUITYWARE, LLC.

ACUITYWARE, LLC reserves the right to revise this documentation and to make changes in content from time to time without obligation on the part of ACUITYWARE, LLC to provide notification of such revision or change.

ACUITYWARE, LLC provides this documentation without warranty of any kind, either implied or expressed, including, but not limited to, the implied warranties of merchantability and fitness for a particular purpose. ACUITYWARE may make improvements or changes in the product(s) and/or the program(s) described in this documentation at any time.

All technical data and computer software is commercial in nature and developed solely at private expense. As the User, or Installer/Administrator of this software, you agree not to remove or deface any portion of any legend provided on any licensed program or documentation contained in, or delivered to you in conjunction with, this User Guide.


AcuityWare Imaging Package and the AcuityWare Image logo are trademarks of ACUITYWARE, LLC

Other brand and product names may be registered trademarks or trademarks of their respective holders.


Document version: 2.00

Installation


To begin installation of the KeyNet CoStar product, please double click on the executable that was delivered. You will see the following startup screen as depicted below. Go ahead and click “Next >” to proceed.




Go ahead and click “Next >” to proceed.




The program will continue installing this product as seen by the screen below.




The Status will display as it copies the necessary files to the client workstation.



The following will show the software updating the client workstation's registry for normal operation of the package.



Review the final screen and check the box to “Launch the program” if that is what you require. Otherwise uncheck the box and click “Finish” to complete the installation and exit.



CoStar Settings for Dodson Global

The following screen shots will assist you in uniquely setting up a workstation for your location.

Have the operator run the CoTools application in the CoStar program group. When this program opens, you will see menu selections which will correspond to the screen shots below. Please go through each item and make sure the settings match the screens in this documentation. This will ensure that your client will be set to operate effectively and error free.

The first screen shot is Site Management. Your drive mapping should be set as shown below. Please make sure that the client workstation has the correct mapped drive to the host containing the MTR images.

Site Management

Done Create/Reconnect Site

Set as Local Site

Site Path
I:\NFS\

Site Description
Primary IFS Site

Site Type
Pseudo


Registration Code
0

00-I:\NFS\

The second screen shot is IFS Management. Again, like with Site Management, please ensure that your drive mapping match the screen as shown below. Please make sure that the client workstation has the correct mapped drive to the host containing the MTR images. Also make sure that the CoStar Path is correct. It should come up automatically, but we will double check to be sure it is set to what is shown.




These next two screens will show you how the client workstation is set up for proper operations with the CoStar product. These can be brought up by clicking on the Edit INI files menu item. Once you select the COSTAR.INI file, it will bring up a screen that will closely resemble the screen shown below. Please verify that your settings match. When you are finished reviewing or making any changes to your file, please go ahead and click on File and Save/Exit. This will update your settings and you can then proceed to check the next INI file.




```
[DriveMappings]
ImageServerPath=I:\IFS
LocalSitePath=I:\IFS\
ImageServerDescription=Primary IFS Site
ImageServerType=Pseudo
ImageDrive1=I
[DataBaseRef]
PromptTime=0
MaxSize=60
MinSize=1
ForceUpperCase=No
Optional=No
[General]
StationId=A
AuditTrail=False
ForceMapping=True
GlobalInbox=I:\IFS\INBOX
GlobalOutbox=I:\IFS\OUTBOX
[Colate]
WorkingPath=C:\COSTAR\kn64\COLATE
FilingMethod=1
ScanningInterface=<disabled>
RequireTitle=No
ShowObjectID=No
ConfirmBeforeFiling=No
[ForeignFileTypes32]
pdf=open
doc=open
docx=open
xls=open
xlsx=open
```

The screen below represents the GLOBAL.INI file. This can be brought up by clicking on the Edit INI files menu item. Once you select the GLOBAL.INI file, it will bring up a screen that will closely resemble the screen shown below. Please verify that your settings match. When you are finished reviewing or making any changes to your file, please go ahead and click on File and Save/Exit. This will update your settings and you can then proceed to close the CoTools utility and test your configuration.



```
GLOBAL - Notepad
File Edit Format View Help
[ImageFilingSystem]
FileExtensionList=TOC,TIF,PCX,JPG,TXT
ImgDirKeepCurrent=Yes
PathLevels=3
FileRadix=10
PathRadix=10
Volume0=0000000
Volume1=0000001
DirectoryEntryLimit=2000
ReserveVolFreeLimit=10
[General]
ReportLib2=RFLOG.DLL
ReportLib1=RFICR.DLL
ReplyLeadIn=
CreateMultiSiteID=False
ReportLib3=RFICR.DLL
[Imaging]
4BitImageFileFormat=BMP
8BitImageFileFormat=PCX
24BitImageFileFormat=JPG
DefaultXResolution=300
DefaultYResolution=300
[StorageDevices]
1=IFS Base Device,I:
```

The screen below shows a sample client workstation's drive mappings to the server that contains the MTR images. Your client workstation that you are configuring should match this drive mapping exactly. If your environment changes, please be sure to remap your drive (I:) so that it points to the correct file share space the hosts your MTR images.



Technical Support

If you are an existing AcuityWare Image Software customer and are having difficulties installing or using the software, you can find help using the following methods.

- Email: support@acuityware.com
- Phone: 609-607-8114
- Fax: 609-994-3127